# Periimplantitis and Er:YAG laser

#### Author\_Dr Carole Leconte, France

Fig. 1\_Periimplantitis is becoming increasingly prevalent.

Fig. 2\_Initial appearance of the very shrunk mandible, major periimplantitis.


Fig. 3\_Periodontal probe that is too short, pockets of more than 30 mm all around the implants. Fig. 4\_The first centimetre and even more is only granulation tissue, of differentiated, inflammatory, haemorrhagic appearance; it is very difficult to approach this type of site with a cold knife.

Fig. 5\_Removal of the granulation tissue by Er:YAG laser, scaling without contact, without "leakage" of unsupported tissue, maintaining the healthy tissues and removing all the unsupported tissue down to the implant in the bone. \_Periimplantitis is becoming increasingly prevalent (Fig.

1). Its aetiologies are varied and often connected. Among the existing treatments, the Erbium: YAG laser is possibly the least known, despite its numerous clinical advantages. Those include the removal of granulation tissue and tartar and the decontamination of the titanium

while, at the same time, conserving healthy tissue and existing implant structures. The first step in any treatment of periimplantitis is to carefully analyse the clinical situation in order to identity and remedy possible causes (hygiene, prostheses, lack of tissue etc.) and to evaluate whether the implants should be treated or removed.


Depending on the situation, a more favourable outcome might be achieved by removing the previous work rather than treating the current problem.



The removal would allow a tissue reconstruction which would provide the new treatment with better bases, thus making the final result more predictable.

However, there are numerous "conservative" treatments of periimplantitis possible, of which some are associated with tissue regeneration while others are

not. In any instance, the aetiology must be identified, the pathological tissues removed and decontamination carried out. This is generally achieved by techniques of scaling (manual or ultrasonic), air polishing, photodynamic therapy<sup>1</sup> or local/general antibiotics.<sup>2</sup> It is highly recommended to inform the patient about the different treatment options and to actively involve him in the decision making as his willingness to cooperate is crucial to the course of the treatment. Particularly in cases of unexpected complications or sudden, necessary changes of



 $14 \mid \underset{\mathbf{3}_{2015}}{\mathsf{laser}}$ 

# 24<sup>th</sup> International Annual Congress of the DGL

WAVELENGTHS



November 27–28, 2015 Berlin, Germany Hotel Palace

Congress President: Prof. Dr Norbert Gutknecht/Aachen, Germany

#### Programme overview

Congress opening address

SAVE

THE DATE

President of the DGL. Prof. Dr Norbert Gutknecht/Aachen. Germany Laser Supported Reduction of Specific Microorganisms in the Periodontal Pocket with the Aid of an Er, Cr: YSGG laser

#### **Guest speakers**

Prof. Dr Jens Malte Baron/Aachen, Germany Investigation of the biological effects of laser systems by means of 3-D in vitro skin models

Prof. Dr Andreas Braun/Marburg, Germany The 445 nm semiconductor laser in dentistry-Introducing a new wavelength

Dr James Carroll/Chesham, UK Debonding ceramic brackets—A minimally invasive laser technology from Aachen

#### Dr Marina Polonsky/Ottawa, Canada

Pain perception and need for local anaesthesia during caries removal in Class I-V cavity preparations using an Er, Cr:YSGG laser-A prospective clinical study

Dr Alin Odor/Constanta, Romania Clinical study of Er, Cr:YSGG (2,780 nm) and diode (940 nm) laser-supported periodontal treatment concept according to Gutknecht

Dr Ioannis Papadimitriou/Athens, Greece Management and removal of gingival hyperpigmentation by means of a diode laser

Dr Jaana Sippus/Vaasa, Finland Sleep apnoea and snoring therapy using an Er, Cr: YSGG laser

Dr Habib Zarifeh/Beirut, Lebanon Crown lengthening in soft and hard tissues in the aesthetic zone

Prof. Dr Gerd Volland/Seville, Spain Colour makes it!

Dr Jörg Meister/Bonn, Germany Removal of dentine with a diode-pumped Er:YAG laser-First results

Dr Dimitris Strakas/Thessaloniki, Greece Bleaching with Er, Cr: YSGG laser

Dr Thorsten Kuypers, Msc/Cologne, Germany One-year NightLase anti-snoring treatment—First experiences

# Dr. Joshua Weintraub/Stevenson, MD (US)

Using the First 9.3 µm CO<sub>2</sub> All-tissue Laser for Anesthesia-Free Caries Removal and Cavity Preparation

Prof. Dr Peter Rechmann/San Francico (US) In vivo fissure caries prevention using a short-pulsed CO2 laser and fluoride varnish

#### Organisational matters

Congress fees*	
Dentist (DGL member)	185,-€*
Dentist (non member)	220,-€*
Dental technician/assistant (with proof)	90,-€*
Student (with proof)	25,-€*
*No VAT is charged on the congress fee.	

Meeting package fee (all participants) 98.- € plus VAT The meeting package fee (incl. coffee breaks, refreshments and meals) is payable by all participants.

#### DGL Evening event

Saturday. November 28, 7.00 p.m. Bon Dia Restaurant, Hotel Palace Berlin Cost per person (incl. food, drinks and live music)

75,– € plus VAT

#### Organiser

Deutsche Gesellschaft für Laserzahnheilkunde e.V. (German Society for Laser Dentistry) Universitätsklinikum der RWTH Aachen, Clinic for ZPP/DGL Pauwelsstraße 30 | 52074 Aachen, Germany Tel.: +49 241 8088-164 | Fax: +49 241 803388-164 sekreteriat@dql-online.de | www.dql-online.de

#### Organization/Registration

OFMUS MEDIA AG Holbeinstraße 29 | 04229 Leipzig, Germany Tel.: +49 341 48474-308 | Fax: +49 341 48474-290 event@oemus-media.de | www.oemus.com www.dgl-jahrestagung.de

# Venue

Hotel Palace Berlin Budapester Straße 45 | 10787 Berlin, Germany www.palace.de

I hereby register the following persons for the 24<sup>th</sup> International Annual Congress of the DGL from November 27–28, 2015, in Berlin,

For booking of various accommodation types at the hotel PRIMECON | Tel.: +49 211 49767-20 | Fax: +49 211 49767-29 info@prime-con.eu | www.prime-con.eu

#### Continuing education credits

The event complies with the guidelines and recommendations of the Kassenzahnärztliche Bundesvereinigung (national association of statutory health insurance dentists) from 23 September 2005, including the points evaluation recommendation of the continuing education advisory board of the Bundeszahnärztekammer (German dental association) from 14 September 2005 and the Deutsche Gesellschaft für Zahn-, Mund- und Kieferheilkunde (German society for dental and oral medicine) from 24 October 2005, applicable from 1 January 2006. Participants can earn up to 16 credits..

24 <sup>th</sup> Annual Congress of the DGL	Germany:	
Please fax this form to		□ yes □ no
+49 341 48474-290	Title/Surname/Name, Job Title	DGL-Member
or send it via post to		□ yes □ no
	Title/Surname/Name, Job Title	DGL-Member
<b>OEMUS MEDIA AG</b>	DGL Evening event (Saturday, November 28): (F	lease enter number of persons.)
Holbeinstraße 29	Stamp/Address	I hereby accept the terms and conditions of the OEMUS MEDIA A
04229 Leipzig		
Germany		
		Date/Signature
aser 3/15		E-mail address

24<sup>th</sup> Annual Cor



Fig. 6\_Bone craters cleaned, implants decontaminated along the entire surface outside the bone. Fig. 7 Three minutes betadine irrigation, then rinsing with saline solution. Fig. 8\_Sutures (no bone or other filling was carried out). Fig. 9\_Appearance of the tissues at one year of healing, maturation, absence of clinical relapse, organisation of keratinised tissue adhering around the implants, hygiene could be improved. Fig. 10\_Stage of change of attachment system (balls > locators) for the patient's comfort. Figs. 11a & b\_Initial panoramic X-ray, global and detailed view with bone level highlighted. Figs. 12a & b\_Visit after one year: apart from the external aspect that shows no sign of periimplantitis, the spontaneous bone regeneration that followed the debridement is considerable; the comparison of the two X-rays shows vertical bone gain and bone-titanium contact in this place.

laser

treatment, the patient's initial say in the medical decisions might soften the impact of a different outcome. Having emphasised that there are other ways of treating periimplantitis than just following conservative treatment options, it is equally vital to stress that no matter what treatment is used it is very important to identify and adequately deal with the causes in order to ensure the best possible healing process.

There is no miracle instrument that guarantees a successful treatment of all types of periimplantitis. However, in those instances that include treatments of the gums, the bone, the pathological tissues and the titanium, the Er:YAG laser holds major advantages over other treatment options.

#### \_Bases for a better understanding

A laser is a photon beam with considerable energy. When emitted in very short pulses, the electromagnetic beam interacts with matter in a predictable way.

This interaction differs from that of traditional instruments that mostly follow Newton's laws of physics. When working with a laser, the laws of quantum physics guarantee a predictable effective-


ness that can be parameterised in advance. The treatment is without any direct contact and the intensity applied depends on the methods of emission and application and on the tissue structure. Like sunlight that irradiates the surface of the earth, according to the season (distance), the time (angulation) and the matter (molecular nature/colour), the laser beam deviates, from the initial parameterisation. By varying and adjusting the intensity (power), the emission frequency (Hz), the distribution surface of the emitted energy and the parameters cited above (distance, angle etc.), the effects can be "controlled". The Er:YAG lasers have a 2,940 nm wavelength. The infrared (invisible) light is strongly absorbed by water and hydroxyapatite. This extreme absorption, which is caused by the photoablative effects, allows the precise and selective removal of pathological tissues and various deposits while leaving the healthy tissue untouched. It also provides a controlled bacterially detoxified surface.

The efficacy of the ablation is 540  $\mu$ g/J and the depth of the removal by pulse is greater than 0.4 mm.<sup>3</sup> Due to the extremely fine and translucent tips of the Er:YAG laser, it guarantees an optimal visual control while working without any direct contact. This makes it a particularly effective laser for several key stages of treatment of pathological periimplant.

#### Removal of granulation tissue

The photoablative effects vaporise the matter and break into the granulation tissue, which in effect eases and lead to the complete elimination of the tissue. The applied method and precise parameter settings limit the iatrogenic nature of the scaling.

While using a round purr would have caused considerable damage with less ablative and greater thermal effect reducing visual control<sup>4-7</sup>, the penetration of the erbium laser is almost nil (less than  $30 \mu$ ) and therefore no damage of the bone is done. Due to the precision of the work, the healthy tissues stay untouched. This is even more so the case when the instrument is supported by operating microscopes or high-power fibre magnifying glasses.



#### *Removal of the tartar decontamination of the titanium*

- This allows:
- Mucous membrane to be cleared off of the infiltrated area.
- The bone to be cleaned off granulation tissue and yet to be preserved, without aggression ("cold" laser) in order to avoid any necrotic halos, which can lead to complications or failures.
- To preserve the decontaminated titanium which can then, at a later point, be re-osseointegrated.

# \_Clinical case

In the present case, a 76-year-old patient visited our clinic and presented us with a poor initial situation indicating very poor dental hygiene, xerostomia, oral thrush, a poorly adapted prosthesis, non-passive, no vestibule. The patient's first visit to our clinic was in July 2010, although the symptoms of a periimplantitis had already been developing since 2004. A non-conservative treatment, including the removal of the implants and scaling, secondary reconstruction of bone and keratinised mucous membrane if necessary (Figs. 1-12) seemed favourable. However, the particular circumstances of the patient's poor dental health, partially caused by problems with alimentation leaving the patient fragile, led us to try to conserve the highly infected implants, which had peri-implant pockets of over 13 mm wide.

# \_Conclusion

There is a multitude of traditional instruments such as curettes, specific ultrasound inserts and titanium brushes that are commonly used when treating

# Kurz & bündig



periimplantitis. This may explain a certain reluctance towards the use of other instruments such as the Er:YAG laser. Each and every instrument is unique, in the same way as the characteristics of one laser can differ considerably from those of another. Each type of laser has very specific, sometimes even opposing effects. For instance, diode lasers do not damage the titanium but cause

a harmful temperature rise while Nd:YAG lasers will damage the surface of the titanium. With regards to the treatment of periimplantitis, the specific characteristics of the Erbium laser prove to be the most effective: it allows the operator to accurately select and precisely remove the pathological tissue and to decontaminate the titanium without staining it, hence enabling a renewed osseointegration. However, the successful treatment still depends on the individual practitioner and the employed equipment. Further research is needed to improve the procedure and predictability of the desired results. The world of implantology is constantly evolving and the revolution of the old implantological treatments lead to new developments and techniques. Facing those changes, dentists must actively seek and promote all available treatment options, including the use of laser. There is a very good reason for its growing presence.\_

# contact

#### **Dr Carole Leconte**

14 rue du Croissant 75002 Paris Tel.: + 33 01 53890311 cabinet@drleconte.cab

Dieser Artikel beschreibt die Vorteile des Er:YAG-Laser-Einsatzes bei der Behandlung von Periimplantitis. Neben den konventionellen Therapiemöglichkeiten, wie spezielle Ultraschalleinsätze oder Titanbürsten, kann die Nutzung eines Er:YAG-Lasers dabei besonders im Bereich des Zahnfleisches, der Knochen, des krankhaften Gewebes und des Titans von Vorteil sein.

Der Er:YAG-Laser hat eine Wellenlänge von 2.940 nm. Der unsichtbare Infrarot-Lichtstrahl wird stark von Wasser und Hydroxylapatit absorbiert. Diese enorme Aufnahme, die durch photoablative Effekte verursacht wird, ermöglicht das präzise und selektive Entfernen von pathologischem Gewebe, während das gesunde Gewebe unberührt bleibt. Aufgrund der sehr feinen und lichtdurchlässigen Spitze des Lasers, ist eine sehr gute Sichtkontrolle während der Arbeit ohne direkten Kontakt möglich. Das macht den Laser für mehrere wichtige Behandlungsphasen im pathologischen periimplantären Bereich attraktiv. Dennoch sind Laser je nach Wirkung einzusetzen, denn diese sind spezifisch und können sogar gegensätzliche Wirkungen haben. Diodenlaser beispielsweise schaden Titan zwar nicht, verursachen aber einen erheblichen Temperaturanstieg, Nd:YAG-Laser können sogar die Titanoberfläche zerstören. Der Einsatz eines Er:YAG-Lasers gestaltet sich daher am effektivsten, da der Bediener exakt auswählen, das krankhafte Gewebe entfernen und das Titan dekontaminieren kann und somit eine erneute Osseointegration ermöglicht wird.

#### Fig. 13\_Laser devices have proven to be very effective in the treatment of periimplantitis.